Al, Fe incorporation into post-perovskite from first principles

S. Akber-Knutson, Caltech, Pasadena/USA, <u>G. Steinle-Neumann</u>*, Universität Bayreuth, Bayreuth/Germany, g.steinle-neumann@uni-bayreuth.de, P. D. Asimow, Caltech, Pasadena/USA

The phase transition of pure MgSiO₃ perovskite (*Pbnm*) to the post-perovskite (*Cmcm*) structure has been reported recently at pressures corresponding to the Earth's lowermost mantle [1-4]. We use ab initio calculations to assess whether this transition survives for more realistic mantle compositions containing significant amounts of Al and Fe. We estimate phase coexistence pressures as functions of minor element concentration, and from this we obtain the effects of Al and Fe on the depth and sharpness of the transition. For a pyrolitic mantle composition, and assuming all of the Al partitions into MgSiO₃, we find that Al preferentially partitions into perovskite, thus increasing the transition pressure (by approximately 5 GPa). The transition takes place over a depth range of width 225 km. Fe competes with Al by lowering the transition pressure, so that post-perovskite is likely to exist in the lower mantle; however, the transition is still smooth.

References:

[1] T. litaka, K. Hirose, K. Kawamura, M. Murakami. Nature 2004, 430, 442-445.

[2] M. Murakami, K. Hirose, K. Kawamura, N. Sata, Y. Ohishi. Science 2004, 304, 855-858.

[3] T. Tsuchiya, J. Tsuchiya, K. Umemoto, R. M. Wentzcovitch. EPSL 2004, 224(3-4), 241-248.

[4] A. R. Oganov, S. Ono. Nature 2004, 430, 445-448.